



| | | | |
|------------------------|---------------|-------------------------------|---------------|
| EAN: | 4013288184238 | Size: | 165x140x68 mm |
| Part number: | 05004203001 | Weight: | 1015 g |
| Article number: | 8790 C HF 1 | Country of origin: | CZ |
| | | Customs tariff number: | 82042000 |

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower socket end for more grip when used manually

Socket set with holding function for particularly convenient screwdriving with reduced risk of losing the screw when addressing the workpiece.

Web link
<https://www.wera.de/en/05004203001>

Wera - 8790 C HF 1
05004203001 - 4013288184238


Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Secure hold and easy removal



The all new smooth turning mechanism guarantees both secure and rattle-free storage, yet allows easy removal of the tool.

Manual and machine sockets



The manual and machine sockets can be used both for hand and power tools use (non-impact). Users need just one socket set for all applications.

Sockets with retaining function for hexagon headed bolts, screws and nuts



The clamping of the screw is achieved by a twin spring loaded ball retention system. The tubing is effectively protected against mechanical wear and tear by a steel ring. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.

Web link
<https://www.wera.de/en/05004203001>

Wera - 8790 C HF 1
05004203001 - 4013288184238

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

8790 HMC HF Zyklop socket with 1/2" drive with holding function, 10 x 37 mm



| | | |
|-------------|----|------------|
| 05003730001 | 1x | 10 x 37 mm |
| 05003731001 | 1x | 11 x 37 mm |
| 05003732001 | 1x | 12 x 37 mm |
| 05003733001 | 1x | 13 x 37 mm |
| 05003734001 | 1x | 14 x 37 mm |
| 05003735001 | 1x | 15 x 37 mm |
| 05003736001 | 1x | 16 x 37 mm |
| 05003737001 | 1x | 17 x 37 mm |
| 05003738001 | 1x | 18 x 37 mm |
| 05003739001 | 1x | 19 x 37 mm |

Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



Web link

<https://www.wera.de/en/05004203001>

Wera - 8790 C HF 1
05004203001 - 4013288184238

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de