

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric, 22 pieces



EAN:	4013288236975	Size:	200x135x65 mm
Part number:	05004967001	Weight:	1045 g
Article number:	8100 SA VDE 1	Country of origin:	CZ
		Customs tariff number:	82041100

- 22-piece 1/4" ratchet set; VDE-insulated
- One Zyklop ratchet, 10 sockets, 5 bit sockets with holding function for TORX® screws, 4 bit sockets with holding function for hexagonal socket screws, one extension (150 mm)
- Individually tested tools as per IEC 60900
- Increased safety thanks to 2-component insulation with a yellow insulation core under an outer red insulation layer
- Compact textile box with twist-to-unlock system: the tools are securely stored, yet easy to remove
- Textile box made of robust material, protects surfaces from damage, can be docked onto the Wera 2go system

22-piece 1/4" ratchet set; VDE-insulated. For the most common VDE screw connections in electrical building installations. One Zyklop VDE ratchet with reversing lever for easy clockwise/counterclockwise change, fine-toothed (80 teeth, low return angle of only 4.5°); 10 Zyklop VDE sockets, 5 Zyklop VDE bit sockets with holding function for TORX® screws, 4 Zyklop VDE bit sockets with holding function for hexagonal socket screws, one Zyklop VDE extension (150 mm long); all tools individually tested as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V. One robust textile box, compact design for space-saving tool storage; the firm and light material lowers the weight of the set - ideal for mobile use. Equipped with twist-to-unlock system for easy removal of the tools.



Web link
<https://www.wera.de/en/05004967001>

Wera - 8100 SA VDE 1
05004967001 - 4013288236975


Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



Individually tested



For the most common VDE couplings in electrical building installations




Safe working at voltages up to 1,000 V is guaranteed as Zyklop tools for electricians are individually tested at 10,000 V as per IEC 60900.

For electrical building technology



The 1/4" Zyklop VDE ratchet is especially suitable for all couplings in electrical building installations.

For small spaces



With its extremely slim design, fine toothing with 80 teeth and a low return angle of only 4.5°, the Zyklop VDE ratchet allows easy working even in very confined spaces.

Switch lever




Switch lever for convenient change of direction.

Ball lock



The ball lock ensures sockets and accessories fit securely, providing increased safety during operation. A short press on the release button allows the tool to be changed quickly.

Increased safety



The Zyklop VDE tools offer increased safety thanks to their 2-component insulation with a yellow insulation core under an outer red insulation layer. The yellow insulation core becomes visible if the outer red VDE insulation layer is damaged.

Bit sockets with holding function for TORX® screws





The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

8100 SA VDE 1 Zyklop ratchet set, insulated, reversing lever, 1/4" drive, metric, 22 pieces



Set contents:

8007 A VDE Zyklop ratchet, insulated, with reversing lever, with 1/4" drive, 1/4" x 144 mm



	05004866001	1x 1/4" x 144 mm
---	-------------	------------------





8790 A VDE Zyklop Socket, insulated, with 1/4" drive, 4.5 x 41 mm

	05005929001	1x 4.5 x 41 mm
	05005931001	1x 5 x 41 mm
	05005932001	1x 5.5 x 41 mm
	05005933001	1x 6 x 41 mm
	05005934001	1x 7 x 41 mm
	05005935001	1x 8 x 41 mm
	05005936001	1x 10 x 41 mm
	05005937001	1x 11 x 41 mm
	05005938001	1x 12 x 41 mm
	05005939001	1x 13 x 41 mm
	05005940001	1x 14 x 41 mm


8767 A VDE HF TORX® Zyklop Bit socket, insulated, with 1/4" drive, with holding function, TX 10 x 46 mm


	05005920001	1x TX 10 x 46 mm
	05005921001	1x TX 15 x 46 mm
	05005922001	1x TX 20 x 46 mm
	05005923001	1x TX 25 x 46 mm
	05005925001	1x TX 30 x 46 mm

8740 A VDE HF Zyklop Bit socket, insulated, with 1/4" drive, with holding function for hexagonal socket screws, 3 x 46 mm

	05005900001	1x 3 x 46 mm
	05005901001	1x 4 x 46 mm
	05005902001	1x 5 x 46 mm
	05005903001	1x 6 x 46 mm


8794 LA Zyklop VDE extension, insulated, long, 1/4", 1/4" x 150 mm

	05003301001	1x 1/4" x 150 mm
---	-------------	------------------



Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



Web link

<https://www.wera.de/en/05004967001>

Wera - 8100 SA VDE 1
05004967001 - 4013288236975

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de