



<b>EAN:</b>	4013288223265	<b>Size:</b>	375x110x35 mm
<b>Part number:</b>	05005460001	<b>Weight:</b>	1009 g
<b>Article number:</b>	Socket Rail C 4	<b>Country of origin:</b>	TW
		<b>Customs tariff number:</b>	82042000

- 9-piece socket set on socket rail, 1/2"
- Magnetic rail with secure socket mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth rotary mechanism for a secure hold and easy access of the tools
- With Take it easy tool finder: colour coding by size
- For manual and power tool operations (non-impact)
- Equipped with ball stop groove, knurling at lower end for better gripping

Socket rail with 9 manual and machine sockets (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets. With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.



**Web link**  
<https://www.wera.de/en/05005460001>

Wera - Socket Rail C 4  
05005460001 - 4013288223265

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Manual and machine sockets



The manual and machine sockets can be used both for hand and power tools use (non-impact). Users need just one socket set for all applications.

## Knurling



Knurling on lower end for more grip when used manually.

## Take it easy tool finder system




Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklus bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklus sockets and Zyklus bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklus bit sockets).

## Twist-to-unlock mechanism



With its twist-to-unlock mechanism, the socket rail ensures easy access of the sockets. At the same time the sockets are held securely.

## Magnetic



Thanks to the magnet, the rail is suitable for temporary attachment to the wall, shelf or workshop trolley.

## Web link

<https://www.wera.de/en/05005460001>

Wera - Socket Rail C 4  
05005460001 - 4013288223265

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)


Set contents:

8790 HMC Zyklop socket with 1/2" drive, 10 x 37 mm



05003601001	1x	10 x 37 mm
05003603001	1x	12 x 37 mm
05003604001	1x	13 x 37 mm
05003605001	1x	14 x 37 mm
05003606001	1x	15 x 37 mm
05003607001	1x	16 x 37 mm
05003608001	1x	17 x 37 mm
05003609001	1x	18 x 37 mm
05003610001	1x	19 x 37 mm

9602 Magnetic socket rail, 1/2", empty, 30 x 370 mm



05136422001	1x	30 x 370 mm
-------------	----	-------------

Web link

<https://www.wera.de/en/05005460001>

Wera - Socket Rail C 4  
05005460001 - 4013288223265

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)