



<b>EAN:</b>	4013288228697	<b>Size:</b>	157x11x11 mm
<b>Part number:</b>	05006527001	<b>Weight:</b>	28 g
<b>Article number:</b>	Kraftform Kompakt VDE 65 iS TiE	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade suitable for Pozidriv screws
- Reduced shaft diameter and integrated insulation protection
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding by profile and laser-engraved size indication
- Hexagonal anti-roll feature against rolling away

VDE blade for the Kraftform Kompakt handle/interchangeable blade system. Lightning-fast blade changes without special tools. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. Reduced blade diameter with integrated protective insulation, low-lying screw and spring elements can be easily reached and operated. The Wera Black Point tip offers fitting accuracy and optimised corrosion protection. With Take it easy tool finder: colour coding by profile and laser-engraved size indication. The hexagon anti-roll protection avoids blades from rolling away unintentionally.



### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_65\\_is\\_tie.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_65_is_tie.html)

Wera - Kraftform Kompakt VDE 65 iS TiE  
05006527001 - 4013288228697

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

### Individually tested



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

### Kraftform Kompakt VDE blades




The 157 mm length blades are suitable for Wera Kraftform bitholding screwdrivers 7400 VDE, 837 i RA, 827 T i and 817 VDE.

### The handle/blade system – Kraftform Kompakt VDE




The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

### VDE interchangeable blade with reduced shaft diameter




Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

### Take it easy




The Kraftform Kompakt VDE blades are equipped with the Take it easy tool finder. Colour coding by profile and laser-engraved size indication make it easy to identify the required tool quickly.

### VDE interchangeable blade with reduced shaft diameter




Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

### Hexagonal anti-roll feature against rolling away



The Kraftform Kompakt blades come with an anti-roll protection. The hexagonal shape hinders the blade from rolling away annoyingly at the workplace.

### Fast turning



The palm of your hand is comfortably supported on the rounded shape of the rear end of the blades. This allows quick spinning of the blade and accelerates the screwdriving process.

### Further versions in this product family:

			
		mm	inch
05006526001	PZ 1	157	6 3/16"
05006527001	PZ 2	157	6 3/16"

### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_65\\_is\\_tie.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_65_is_tie.html)

Wera - Kraftform Kompakt VDE 65 iS TiE  
05006527001 - 4013288228697

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)