L-Keys for Hexagon Socket Screws








EAN: 4013288221360 **Size**: 240x97x32 mm

Part number:05022860001Weight:730 gArticle number:3950/9 Hex-Plus Multicolour Country of origin:CZ

Imperial Stainless 1

Customs tariff 82041100

number:



- · Hex-Plus allows socket head screws to live longer
- With Take it easy tool finder: colour coding by size
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures
- · Wear-resistant clip material for enhanced durability

Premium L-key set made of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents transmission of extraneous rust. The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. With hexagonal ball tip at the long arm: The ball-shaped tip profiles enable the tool shaft to be moved and pivoted relative to the screw axis which allows screwdriving "around the corner". Take it easy tool finder with colour coding by size. In an almost wear-free L-key clip.









L-Keys for Hexagon Socket Screws



L-Keys

We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_multicolour_imperial_stainless_1.html

Wera - 3950/9 Hex-Plus Multicolour Imperial Stainless 1 05022860001 - 4013288221360

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel, 9 pieces

1x 3/8" x 224 mm

L-Keys for Hexagon Socket Screws



Set contents:

3950 SPKL Multicolour Imperial L-keys, imperial, stainless, 5/64" x 101 mm

0000 Of INE Multipological II	iiporiai E Royo, iiiiporiai,	Julinooo	, or or a roll illill
0	05022850001	1x	5/64" x 101 mm
West 200 Stations In Print IV	05022851001	1x	3/32" x 112 mm
	05022852001	1x	1/8" x 123 mm
	05022853001	1x	5/32" x 137 mm
	05022854001	1x	3/16" x 154 mm
	05022855001	1x	7/32" x 172 mm
	05022856001	1x	1/4" x 185 mm
	05022857001	1x	5/16" x 195 mm

05022858001