

**416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck, 1/4" x 45 mm**  
Series 400 T-Handle



<b>EAN:</b>	4013288222824	<b>Size:</b>	100x95x23 mm
<b>Part number:</b>	05023461001	<b>Weight:</b>	118 g
<b>Article number:</b>	416 RA	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Fast-rotating sleeve for extremely high working speed
- Rapidaptor bitholding screwdriver with fast-rotating sleeve for lightning-fast bit changes and high working speeds
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided. Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes.

**Web link**

[https://products.wera.de/en/screwdrivers\\_series\\_400\\_t-handle\\_416\\_ra.html](https://products.wera.de/en/screwdrivers_series_400_t-handle_416_ra.html)


Wera - 416 RA  
05023461001 - 4013288222824

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Ratchet functionality**




The ratchet mechanism of the 416 RA T-handle bitholding screwdriver is completely embedded in the handle. The compact shape of the tool allows convenient working.




The integrated ratchet with fine toothing (80 teeth) and a return angle of 4.5° eases and accelerates screwdriving without having to reposition the tool.

**Ratchet mechanism in the handle**



The ratchet mechanism of the 416 RA T-handle bitholding screwdriver is completely embedded in the handle. The compact shape of the tool allows convenient working.

**Reversible clockwise/counterclockwise**



The change of direction can easily be made using the reversing lever.

**Ergonomic 2-component T-handle**



The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

**Fast-rotating sleeve**




The fast-rotating sleeve allows the tool to be guided safely while screwdriving and increases the working speed.

**Rapid-in and self-lock**



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

**Rapid-out**



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

**Further versions in this product family:**



inch



mm



mm



mm



inch

05023461001

1/4"

45

44

99

1 25/32"

**Web link**

[https://products.wera.de/en/screwdrivers\\_series\\_400\\_t-handle\\_416\\_ra.html](https://products.wera.de/en/screwdrivers_series_400_t-handle_416_ra.html)

Wera - 416 RA

05023461001 - 4013288222824

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)