











EAN: 4013288219411 Size: 250x200x50 mm

Part number: 05030182001 Weight: 340 g Article number: Kraftform Micro 6 ESD Country of origin: CZ

Smartphone-Reparaturset 1

Customs tariff

number:

82054000

- ESD-safe tool thanks to surface resistance of ≤ 10⁹ 0hm
- The fast-turning zone just below the rotating cap allows rapid twisting.
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Multi-component Kraftform Micro handles for fast and ergonomic screwdriving
- Included profiles especially suitable for servicing mobile phones and tablets
- Take it easy tool finder: colour coding according to profile and size

Electrostatically secured Wera Micro screwdriver 6-piece set. The included screw profiles are especially suitable for use on mobile phones and tablets. Safe protection against electrostatic energy and associated damage. By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible. Time-consuming hand switching is eliminated. The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments. Precision zone for correct rotation angles whilst adjusting. The Black Point tip provides fitting accuracy and optimum corrosion protection. Take it easy tool finder with size stamping and colour coding by profile to find the required tool quickly and easily.




















For mobile phones and tablets



The screwdriver profiles included in this set are especially suitable for servicing mobile phones and tablets.

High protection



The electric surface resistance of the Wera ESD material is \leq 10⁹ ohm. This securely protects components against electrostatic energy and associated damage.


Kraftform Micro handle



Multi-component screwdriver handle for ergonomic working.


The precision zone

For mobile phones and tablets



The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

The power zone



The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

The fast-turning zone



The fast-turning zone just below the rotating cap allows rapid twisting.

Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allow rapid twisting. This makes time-consuming grip adjustments as with other conventional precision screwdrivers unnecessary.



Set contents:

1550 PH ESD Kraftform Micro screwdriver for Phillips screws, PH 00 x 40 mm

0

 $05030118001^{1),2)}$ 1x PH 00 x 40 mm

050301190013)

1x PH 0 x 40 mm

1) Optimised for Asian PH screws 2) On the output side, the blade is turned to a nominal length of 10 mm 3) Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1567 IPR TORX PLUS® ESD screwdriver, 1 IPR x 40 mm



050301350011)

1x 1 IPR x 40 mm

1) Without bore hole

1572 ESD Kraftform Micro screwdriver for Microstix® screws, m x 40 mm



05030080001

1x m x 40 mm

1550 PH S ESD Kraftform Micro screwdrivers, # 1 x 40 mm

0

0

05030109001

1x # 1 x 40 mm



1529 ESD Lifting fork, 1 x 3.5 x 50 mm

05027450001

1x 1 x 3.5 x 50 mm

Web link