









EAN:	4013288110848	Size:	0x0x0 mm
Part number:	05031576001	Weight:	0 g
Article number:	1160 i/1165 i/7 VDE	Country of origin:	
		Customs tariff	82054000

- number:
- Multi-component Kraftform handle for fast and low-fatigue working
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Individually tested

High quality Kraftform Comfort VDE screwdriver set. Multi-component Kraftform handle for fast and low-fatigue working. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tools. Includes single-pole phase tester.



Individually tested


Kraftform Comfort Handle

Non-roll feature



The ergonomic introduction to convenient screwdriving. Handle with Kraftform geometry and blade made from power bit material with Black Point tip for precise fit - and they are even VDE-tested, too.


Identification marking



The screw profile and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

KV KV

The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.



The multi-component Kraftform handle for quick and low-fatigue working.



The hexagonal non-roll feature prevents any rolling away at the workplace.



Wera Black Point tip

The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.



Set contents:

1165 i PZ VDE Insulated screwdriver for Pozidriv screws, PZ 1 x 80 mn



NS,	PZ I X 80 mm
1x	PZ 1 x 80 mm
1x	PZ 2 x 100 mm

1160 i VDE Insulated screwdriver for slotted screws, 0.4 x 2.5 x 80 mm



 1x
 0.4 x 2.5 x 80 mm

 1x
 0.6 x 3.5 x 100 mm

 1x
 0.8 x 4 x 100 mm

 1x
 1 x 5.5 x 125 mm

4115 Single-pole phase tester, 0.5 x 3 x 65 mm

1x 0.5 x 3 x 65 mm

Product not available in the USA and Canada.

Web link

Wera - 1160 i/1165 i/7 VDE 05031576001 - 4013288110848