



| | | | |
|------------------------|------------------------------|-------------------------------|---------------|
| EAN: | 4013288229779 | Size: | 160x110x55 mm |
| Part number: | 05051061001 | Weight: | 477 g |
| Article number: | Kraftform Kompakt 838 RA-R M | Country of origin: | CZ |
| | | Customs tariff number: | 82054000 |



- Bitholding screwdriver with Rapidaptor quick-release chuck for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera series 1 and 4
- Ratchet mechanism integrated in the handle
- The integrated ratchet with fine toothing ensures fast and safe working
- High working speed: The ratchet mechanism allows to "spin" when screwdriving
- Ergonomic intuitive switching to clockwise/counterclockwise or position 0
- Rapidaptor holder for rapid bit change
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3
- Multi-component Kraftform handle for fast and ergonomic screwdriving

15-piece ratchet screwdriver set. Bitholding screwdriver with intuitive ratchet functionality. The ratchet mechanism with fine toothing integrated in the handle (36 teeth/return angle 10°) eases and accelerates screwdriving without having to reposition the tool. Spinning the tool is also possible. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. Ergonomic switching to clockwise/counterclockwise or position 0. Kraftform Plus handle for comfortable ergonomic screwdriving, avoiding blisters and calluses. Magnetic bitholding screwdriver for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The Rapidaptor quick-release chuck allows lightning-fast bit changes without any extra tools. The strong permanent magnet holds the bits firmly. 13 tough bits for universal use (Phillips-head Phillips and Pozidriv, TORX®, slotted and hexagonal socket), 89 mm length; chemically nickel-plated.

Web link
<https://www.wera.de/en/05051061001>

Wera - Kraftform Kompakt 838 RA-R M
 05051061001 - 4013288229779

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

Ratchet functionality



Ratchet mechanism integrated in the handle



The integrated ratchet with fine toothing (36 teeth) and a return angle of 10° eases and accelerates screwdriving without having to reposition the tool.

Rapid screwdriving



The ratchet mechanism also allows fast "spinning" while screwdriving.

Ratchet mechanism in the handle



The integrated ratchet with fine toothing ensures fast and safe working. The ratchet mechanism is completely embedded in the handle. Thanks to the small size of the handle the ratchet can even be used in constricted screwdriving situations.

Changing ratchet direction



Ergonomic design of the reverse direction switch.

Chuck-all




The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Web link

<https://www.wera.de/en/05051061001>

Wera - Kraftform Kompakt 838 RA-R M
05051061001 - 4013288229779

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

838 RA-R M Bit-holding handle with ratchet functionality, 1/4", 1/4" x 123.5 mm



05051493001 1x 1/4" x 123.5 mm



851/4 Z bits, PH 1 x 89 mm



05059760001 1x PH 1 x 89 mm

05059775001 1x PH 2 x 89 mm

05059795001¹⁾ 1x PH 3 x 89 mm

1) Hexagonal blade

855/4 Z bits, PZ 1 x 89 mm



05060029001 1x PZ 1 x 89 mm

05060035001 1x PZ 2 x 89 mm

05060043001¹⁾ 1x PZ 3 x 89 mm

1) Hexagonal blade

867/4 Z TORX® bits, TX 10 x 89 mm



05060186001 1x TX 10 x 89 mm

05060187001 1x TX 15 x 89 mm

05060188001 1x TX 20 x 89 mm

05060189001 1x TX 25 x 89 mm

840/4 Z bits, 3 x 89 mm



05059630001 1x 3 x 89 mm

05059631001 1x 4 x 89 mm

05059632001 1x 5 x 89 mm

800/4 Z bits, 1 x 5.5 x 89 mm



05059488001 1x 1 x 5.5 x 89 mm

Hook and Loop Fastener Strip 70, 50 x 70 mm

1x 50 x 70 mm



Web link

<https://www.wera.de/en/05051061001>

Wera - Kraftform Kompakt 838 RA-R M
05051061001 - 4013288229779

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de