



EAN:	4013288179937	Size:	160x100x56 mm
Part number:	05057441001	Weight:	498 g
Article number:	Bit-Safe 61 BiTorsion 1	Country of origin:	CZ
		Customs tariff number:	82079030

- The Bit-Safes in textile box convince due to their functionality in a minimum of space
- Rapidaptor holder for rapid bit change
- For use with power tools
- Take it easy tool finder: colour coding according to profile and size
- Suitable for docking with the Wera 2go system

Robust textile box with bits and holder, 61-piece. 49 BiTorsion bits for long service life, in diamond-coated design (BDC) for a secure fit in the screw head, tough-absorbing (BTZ), for universal use, extra hard (BTH); 11 bits, tough-absorbing (Z), for universal use. 1 universal holder 889/4/1 K with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill. The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint. The textile box allows users a high degree of mobility with a minimum space requirement. The greatly reduced weight of a set makes carrying far more pleasant. Sensitive surfaces are protected when the box is set down - yet the textile box is still very robust. The box and the tools will even survive a fall unscathed.



Web link

<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Safe



The new Bit-Safes provide users with comprehensive bit and holder ranges in a surface-protecting, compact textile box.

BiTorsion Bits



Premium bits with torsion zone into which kinetic energy is dissipated during peak loads. With softer BiTorsion zone to prevent the bit tip from twisting at high loads. This significantly increases product life. Tough design for universal use.

Rapidaptor holder



Lightning-fast bit change without any extra tools. One-handed operation. With fast-rotating sleeve for easy wielding of the screwdriver.

Chuck-all




The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Magnetic



Bit holders, magnetic, for easier application of the screw

Web link

<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

889/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm



05052502001

1x 1/4" x 50 mm



851/1 BDC bits, PH 1 x 25 mm



05056400001

1x PH 1 x 25 mm

05056402001

2x PH 2 x 25 mm

05056404001

1x PH 3 x 25 mm



851/1 BTZ bits, PH 1 x 25 mm



05056420001

2x PH 1 x 25 mm

05056422001

8x PH 2 x 25 mm

05056424001

1x PH 3 x 25 mm



855/1 BDC bits, PZ 1 x 25 mm



05056700001

1x PZ 1 x 25 mm

05056702001

2x PZ 2 x 25 mm

05056704001

1x PZ 3 x 25 mm



855/1 BTH bits, PZ 1 x 25 mm



05056710001

2x PZ 1 x 25 mm

05056712001

8x PZ 2 x 25 mm

05056714001

1x PZ 3 x 25 mm



867/1 BTZ TORX® bits, TX 10 x 25 mm



05066120001

3x TX 10 x 25 mm

05066122001

2x TX 15 x 25 mm

05066124001

4x TX 20 x 25 mm

05066126001

4x TX 25 x 25 mm

05066128001

2x TX 30 x 25 mm

05066130001

1x TX 40 x 25 mm



800/1 BDC bits, 0.8 x 5.5 x 25 mm



05056172001

1x 0.8 x 5.5 x 25 mm

05056174001

1x 1 x 5.5 x 25 mm

05056176001

1x 1.2 x 6.5 x 25 mm



840/1 BTZ bits, 2.5 x 25 mm



05056682001

3x 2.5 x 25 mm

05056683001

3x 3 x 25 mm

05056684001

3x 4 x 25 mm

05056685001

2x 5 x 25 mm



Web link

<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Web link
<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

889/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm



05052502001 1x 1/4" x 50 mm



851/1 BDC bits, PH 1 x 25 mm



05056400001 1x PH 1 x 25 mm
05056402001 2x PH 2 x 25 mm
05056404001 1x PH 3 x 25 mm



851/1 BTZ bits, PH 1 x 25 mm



05056420001 2x PH 1 x 25 mm
05056422001 8x PH 2 x 25 mm
05056424001 1x PH 3 x 25 mm



855/1 BDC bits, PZ 1 x 25 mm



05056700001 1x PZ 1 x 25 mm
05056702001 2x PZ 2 x 25 mm
05056704001 1x PZ 3 x 25 mm



855/1 BTH bits, PZ 1 x 25 mm



05056710001 2x PZ 1 x 25 mm
05056712001 8x PZ 2 x 25 mm
05056714001 1x PZ 3 x 25 mm



867/1 BTZ TORX® bits, TX 10 x 25 mm



05066120001 3x TX 10 x 25 mm
05066122001 2x TX 15 x 25 mm
05066124001 4x TX 20 x 25 mm
05066126001 4x TX 25 x 25 mm
05066128001 2x TX 30 x 25 mm
05066130001 1x TX 40 x 25 mm



800/1 BDC bits, 0.8 x 5.5 x 25 mm



05056172001 1x 0.8 x 5.5 x 25 mm
05056174001 1x 1 x 5.5 x 25 mm
05056176001 1x 1.2 x 6.5 x 25 mm



840/1 BTZ bits, 2.5 x 25 mm




05056682001 3x 2.5 x 25 mm
05056683001 3x 3 x 25 mm
05056684001 3x 4 x 25 mm
05056685001 2x 5 x 25 mm



Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



Web link

<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Web link

<https://www.wera.de/en/05057441001>

Wera - Bit-Safe 61 BiTorsion 1
05057441001 - 4013288179937

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de