



<b>EAN:</b>	4013288214584	<b>Size:</b>	115x100x62 mm
<b>Part number:</b>	05057472001	<b>Weight:</b>	212 g
<b>Article number:</b>	Kraftform Kompakt Stubby ESD 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Handle/Interchangeable blade system for rapid exchange of the blade
- Stubby ESD bit hand holder: short compact shape for working in confined spaces
- ESD bits hand holder for electrostatically safe working, magnetic
- Ergonomic 2-component Kraftform handle for precise work
- 851/1 J: bits optimized for Asian PH screws

Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small ESD bit-holding Stubby screwdriver handle with short blade for electrostatically secure working even in hard to reach areas. Suitable for the mounting of bits with ¼" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. High-quality bits for universal use. Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_kraftform\\_kompakt\\_stubby\\_esd\\_1.html](https://products.wera.de/en/screwdrivers_esd_series_kraftform_kompakt_stubby_esd_1.html)

Wera - Kraftform Kompakt Stubby ESD 1  
05057472001 - 4013288214584

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## ESD Series

### Wera ESD Tools




The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

### High protection



The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

### Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

### Tangible ergonomics



The 2-component Kraftform handle allows high power transmission due to the non-slip, softer grip areas and high working speeds due to the hard grip areas, which allow a quick hand switch.

### Compact shape



With its compact handle shape and the short blade, the Kraftform Stubbies are particularly suitable for working in confined screwdriving situations.

### Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_kraftform\\_kompakt\\_stubby\\_esd\\_1.html](https://products.wera.de/en/screwdrivers_esd_series_kraftform_kompakt_stubby_esd_1.html)

Wera - Kraftform Kompakt Stubby ESD 1  
05057472001 - 4013288214584

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Kraftform Kompakt Stubby ESD 1, 10 pieces

ESD Series



Set contents:

## 811/1 ESD Stubby Bitholding screwdriver, magnetic, 1/4" x 54 mm



05008881001 1x 1/4" x 54 mm



## 851/1 Z bits, PH 0 x 25 mm



05056500001 1x PH 0 x 25 mm

05072070001 1x PH 1 x 25 mm

05072072001 1x PH 2 x 25 mm



## 851/1 J bits, PH 00 x 25 x 2 mm



05135040001<sup>1)</sup> 1x PH 00 x 25 x 2 mm

1) Size 00 modified according to JCS 00 (Japanese Camera Industrial Standard)



## 800/1 Z bits, 0.5 x 3 x 25 mm



05056200001 1x 0.5 x 3 x 25 mm

05072055001 1x 0.6 x 4.5 x 25 mm

05072059001 1x 1 x 5.5 x 25 mm

05072061001 1x 1.2 x 6.5 x 25 mm

05072063001 1x 1.2 x 8 x 25 mm



### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_kraftform\\_kompakt\\_stubby\\_esd\\_1.html](https://products.wera.de/en/screwdrivers_esd_series_kraftform_kompakt_stubby_esd_1.html)

Wera - Kraftform Kompakt Stubby ESD 1  
05057472001 - 4013288214584

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)