

840/2 Z Bits, 5 x 30 mm

Bits for Hexagon Socket Screws



EAN:	4013288012777	Size:	30x9x9 mm
Part number:	05057515001	Weight:	10 g
Article number:	840/2 Z	Country of origin:	CZ
		Customs tariff number:	82079030

- For socket head screws
- Tough for hard materials
- Hex-Plus allows socket head screws to live longer
- 5/16" hexagon drive (Wera connecting series 2)

Tough viscous Wera bits for hexagon socket screws for universal use. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_2_z.html

Wera - 840/2 Z
05057515001 - 4013288012777

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Hex-Plus

Tough-absorbing bits






Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

	 mm	 inch	 mm	 inch
05057505001	3	-	30	1 3/16"
05057510001	4	-	30	1 3/16"
05057515001	5	-	30	1 3/16"
05057520001	6	-	30	1 3/16"
05057525001	8	-	30	1 3/16"
05057530001	10	-	30	1 3/16"

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_2_z.html

Wera - 840/2 Z

05057515001 - 4013288012777

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de