

# Bit-Box 15 Impaktor TX, TX 30 x 25 mm, 15 pieces

Bits for TORX® Screws



<b>EAN:</b>	4013288187895	<b>Size:</b>	75x68x20 mm
<b>Part number:</b>	05057776001	<b>Weight:</b>	101 g
<b>Article number:</b>	Bit-Box 15 Impaktor TX	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- 1/4" hexagon drive (Wera connecting series 1)
- "Take it easy" tool finder: colour coding according to profile and size
- In practical Bit-Box for simple removal

High quality bits for recessed TORX® screws in a practical Bit-Box. The Impaktor technology ensures above-average service life even under very demanding circumstances. The enhanced friction resistance from the rough diamond-particle coating on the tip of the bit prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers; 1/4" hex, appropriate for holders as per DIN ISO 1173-D 6.3. Come with "Take it easy" Toolfinder: colour coding according to profile and size stamp.

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057776001 - 4013288187895


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

Bits for TORX® Screws

Bit-Box



Impaktor technology for an above-average service life even under extreme demands



The slide switch allows a simple and gradual removal and reinsertion of the bits. The transparent reverse side means that it is easy to know how many bits are still in the box.

Impaktor-Bits



For an above-average service life. Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

Improved productivity



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.

Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057776001 - 4013288187895

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)


Bits for TORX® Screws

Above-average service life




Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

Reduced danger of bit breakage.




Particularly high strength. Reduce the danger of premature bit breakage.

Torsion zone



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

Reduced contact pressure



These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057776001 - 4013288187895

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Box 15 Impaktor TX, TX 30 x 25 mm, 15 pieces

Bits for TORX® Screws



Set contents:

867/1 IMP DC Impaktor TORX® bits, TX 30 x 25 mm

15x TX 30 x 25 mm



### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057776001 - 4013288187895

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)