



<b>EAN:</b>	4013288188083	<b>Size:</b>	75x68x20 mm
<b>Part number:</b>	05057790001	<b>Weight:</b>	136 g
<b>Article number:</b>	Bit-Box 20 V Robertson	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Suitable for square head socket screws
- V bits for square recess screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)
- In practical Bit-Box for simple removal

High quality bits for square recessed screws in a practical Bit-Box. Tough viscous for universal use; 1/4" hex, suitable for holders as per DIN ISO 1173-D 6.3.


**Web link**

<https://www.wera.de/en/05057790001>

Wera - Bit-Box 20 V Robertson  
05057790001 - 4013288188083


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

### Bit-Box



The slide switch allows a simple and gradual removal and reinsertion of the bits. The transparent reverse side means that it is easy to know how many bits are still in the box.

### V bits for square recess screws



V bits have a conical profile. The clamping forces thus resulting hold Robertson screws securely on the tip of the tool. Ideal for screwdriving at difficult-to-access places.

### Tough bits



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

### Web link

<https://www.wera.de/en/05057790001>

Wera - Bit-Box 20 V Robertson  
05057790001 - 4013288188083

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Bit-Box 20 V Robertson, # 2 x 25 mm, 20 pieces



## Set contents:

868/1 V Square-Plus bits, # 2 x 25 mm



05066394001

20x # 2 x 25 mm



## Web link

<https://www.wera.de/en/05057790001>

Wera - Bit-Box 20 V Robertson  
05057790001 - 4013288188083

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)