



<b>EAN:</b>	4013288220547	<b>Size:</b>	200x120x80 mm
<b>Part number:</b>	05059041001	<b>Weight:</b>	676 g
<b>Article number:</b>	Kraftform Kompakt VDE Stainless 17 extra slim 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Individually tested VDE Stainless blades, some of which with reduced blade diameter
- Two multi-component VDE-insulated Kraftform Stainless bitholding screwdrivers with anti-roll protection
- Individually tested tools as per IEC 60900 at 10,000 V
- Blades made of stainless steel to prevent extraneous rust
- Vacuum ice-hardening provides the required hardness and strength
- Ergonomic Kraftform handles for fatigue-free work
- In a robust folding pouch with Wera 2go compatibility

15 VDE stainless blades, most of which with reduced blade diameter, so that even low-lying screw and spring elements can be easily reached and operated. Two 3817 VDE Kraftform bitholding screwdrivers for ergonomic screwdriving. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. Wera's stainless steel tools are vacuum ice tempered and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions. The pouch is suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

**Web link**

Wera - Kraftform Kompakt VDE Stainless 17 extra slim 1  
05059041001 - 4013288220547

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de



**Screw stainless steel together with stainless steel!**



The Kraftform Kompakt series stands for low weight, low space requirements and high flexibility due to interchangeable blades.




Solution to the rust problem: screwdriving stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

**Individually tested**



Each Kraftform Kompakt VDE set has been tested individually at 10,000 volts, in accordance with IEC 60900. This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.

**Reduced blade diameter for lower-lying screws**




Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

**PlusMinus screwdrivers**




For the use in terminal blocks, control cabinets, switches, relays, sockets etc.

**The handle/blade system – Kraftform Kompakt VDE**




The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

**Easy exchange**



Kraftform Kompakt VDE sets come with an insulated handle and insulated inter-changeable blades, that can be exchanged without any special tools.

**Multi-component handle**



Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.


**Web link**

Wera - Kraftform Kompakt VDE Stainless 17 extra slim 1  
05059041001 - 4013288220547

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

Set contents:

**3817 VDE Kraftform Stainless blade-holding handle, 9 x 98 mm**

 05003991001 2x 9 x 98 mm



**Kraftform Kompakt VDE 3062 iS, stainless, PH 1 x 154 mm**

 <sup>1)</sup> 1x PH 1 x 154 mm  
<sup>1)</sup> 1x PH 2 x 154 mm



1) Discontinued item

**Kraftform Kompakt VDE 3065 iS PZ, stainless, PZ 1 x 154 mm**

 <sup>1)</sup> 1x PZ 1 x 154 mm  
<sup>1)</sup> 1x PZ 2 x 154 mm



1) Discontinued item

**Kraftform Kompakt VDE 3065 iS PZ/S, stainless, # 1 x 154 mm**

 <sup>1)</sup> 1x # 1 x 154 mm  
<sup>1)</sup> 1x # 2 x 154 mm



1) Discontinued item

**Kraftform Kompakt VDE 3067 i TORX®, stainless, TX 10 x 154 mm**

 <sup>1)</sup> 1x TX 10 x 154 mm



1) Discontinued item


**Kraftform Kompakt VDE 3067 iS TORX®, stainless, TX 15 x 154 mm**

 <sup>1)</sup> 1x TX 15 x 154 mm  
<sup>1)</sup> 1x TX 20 x 154 mm  
<sup>1)</sup> 1x TX 25 x 154 mm



1) Discontinued item


**Kraftform Kompakt VDE 3060 i, stainless, 0.4 x 2.5 x 154 mm**

 <sup>1)</sup> 1x 0.4 x 2.5 x 154 mm  
<sup>1)</sup> 1x 1.2 x 6.5 x 154 mm



1) Discontinued item

**Kraftform Kompakt VDE 3060 iS, stainless, 0.6 x 3.5 x 154 mm**

 <sup>1)</sup> 1x 0.6 x 3.5 x 154 mm  
<sup>1)</sup> 1x 0.8 x 4 x 154 mm  
<sup>1)</sup> 1x 1 x 5.5 x 154 mm



1) Discontinued item

**Hook and Loop Fastener Strip 70, 50 x 70 mm**

1x 50 x 70 mm



Discontinued item

Web link

Wera - Kraftform Kompakt VDE Stainless 17 extra slim 1  
 05059041001 - 4013288220547

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

**Web link**

Wera - Kraftform Kompakt VDE Stainless 17 extra slim 1  
05059041001 - 4013288220547

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)