


## 840/4 Z bits, 7/32" x 89 mm

### Bits for Hexagon Socket Screws



<b>EAN:</b>	4013288155542	<b>Size:</b>	89x7x6 mm
<b>Part number:</b>	05059667001	<b>Weight:</b>	22 g
<b>Article number:</b>	840/4 Z Hex-Plus	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For socket head screws
- Hex-Plus allows socket head screws to live longer
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Tough Wera bits for hexagonal socket screws, for universal use. Hex-Plus offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw is nearly eliminated. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.





#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059667001 - 4013288155542

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Further versions in this product family:

				
	mm	mm	inch	mm
05160885001	0.9	50	2"	2.6
05059602001	1.5	50	2"	2.0
05059603001	2.0	50	2"	4.0
05059628001	2.0	89	3 1/2"	4.0
05059604001	2.5	50	2"	4.0
05059629001	2.5	89	3 1/2"	4.0
05059605001	3.0	50	2"	4.0
05059630001	3.0	89	3 1/2"	4.0
05380033001	3.0	152	6"	4.0
05059610001	4.0	50	2"	5.0
05059631001	4.0	89	3 1/2"	5.0
05059634001	4.0	152	6"	5.0
05059615001	5.0	50	2"	6.0
05059632001	5.0	89	3 1/2"	6.0
05059635001	5.0	152	6"	6.0
05059620001 <sup>1)</sup>	6.0	50	2"	5.0
05059633001 <sup>1)</sup>	6.0	89	3 1/2"	-
05059636001 <sup>1)</sup>	6.0	152	6"	-
05059625001 <sup>1)</sup>	8.0	50	2"	-
05059637001 <sup>1)</sup>	8.0	89	3 1/2"	-
05350430001	0.05"	50	2"	2.5
05135090001	1/16"	50	2"	2.5
05135091001	5/64"	50	2"	3.0
05059660001	5/64"	89	3 1/2"	3.0
05135092001	3/32"	50	2"	3.0
05059661001	3/32"	89	3 1/2"	3.5
05135093001	7/64"	50	2"	3.5
05059662001	7/64"	89	3 1/2"	4.0
05135094001	1/8"	50	2"	4.0
05059663001	1/8"	89	3 1/2"	4.0
05380045001	1/8"	152	6"	4.0
05135095001	9/64"	50	2"	4.5
05059664001	9/64"	89	3 1/2"	4.5
05380046001	9/64"	152	6"	4.5
05135096001	5/32"	50	2"	5.0

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
05059667001 - 4013288155542

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

## Bits for Hexagon Socket Screws

05059665001	5/32"	89	3 1/2"	5.0
05380047001	5/32"	152	6"	5.0
05135097001	3/16"	50	2"	6.0
05059666001	3/16"	89	3 1/2"	6.0
05380048001	3/16"	152	6"	6.0
05135098001	7/32"	50	2"	-
<b>05059667001</b>	<b>7/32"</b>	<b>89</b>	<b>3 1/2"</b>	<b>-</b>
05380049001	7/32"	152	6"	-
05135099001	1/4"	50	2"	-
05059668001	1/4"	89	3 1/2"	-
05380050001	1/4"	152	6"	-
05346288001	5/16"	50	2"	-

1) Hexagonal blade

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_hexagon\\_socket\\_screws\\_840\\_4\\_z\\_hex-plus.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html)

Wera - 840/4 Z Hex-Plus  
 05059667001 - 4013288155542

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de