

# Kraftform Kompakt 60, stainless, 17 pieces

Kraftform Kompakt 60, 62



<b>EAN:</b>	4013288115713	<b>Size:</b>	155x130x55 mm
<b>Part number:</b>	05071116001	<b>Weight:</b>	534 g
<b>Article number:</b>	KK 60 Stainless	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Vacuum ice-hardening provides the required hardness and strength
- Handle/Interchangeable blade system for rapid exchange of the blade
- Rapidaptor technology for rapid bit change
- Storage and transport in a robust belt pouch

Pouch with bits in a length of 89 mm. Includes Kraftform holder 3816 R with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Stainless design to prevent the formation of extraneous rust.



## Web link

[https://products.wera.de/en/kraftform\\_kompakt\\_kraftform\\_kompakt\\_60\\_62\\_kk\\_60\\_stainless.html](https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_60_62_kk_60_stainless.html)

Wera - KK 60 Stainless  
05071116001 - 4013288115713

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform Kompakt 60, stainless, 17 pieces



### Kraftform Kompakt 60, 62

#### Screw stainless steel together with stainless steel!



Solution to the rust problem: screwdriving stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

#### Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

#### Handle/interchangeable blade system




The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

#### Chuck-all




The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

#### Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

#### Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

#### Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

#### Storage and transport



The tools can be stored and carried in a robust belt pouch, keeping them always to hand.

#### Web link

[https://products.wera.de/en/kraftform\\_kompakt\\_kraftform\\_kompakt\\_60\\_62\\_kk\\_60\\_stainless.html](https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_60_62_kk_60_stainless.html)

Wera - KK 60 Stainless  
05071116001 - 4013288115713


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform Kompakt 60, stainless, 17 pieces

### Kraftform Kompakt 60, 62


#### Set contents:

#### 3816 R Bitholding screwdriver with Rapidaptor quick-release chuck, stainless, 1/4" x 119 mm

 05051465001 1x 1/4" x 119 mm




#### 3851/4 Bits, stainless, PH 1 x 89 mm

 05071081001 1x PH 1 x 89 mm  
05071082001 1x PH 2 x 89 mm  
05071083001<sup>1)</sup> 1x PH 3 x 89 mm  
1) Hexagonal blade




#### 3855/4 Bits, stainless, PZ 1 x 89 mm

 05071084001 1x PZ 1 x 89 mm  
05071085001 1x PZ 2 x 89 mm  
05071086001<sup>1)</sup> 1x PZ 3 x 89 mm  
1) Hexagonal blade




#### 3867/4 TORX® B0 bits with bore hole, stainless, TX 10 x 89 mm

 05071089001 1x TX 10 x 89 mm  
05071090001 1x TX 15 x 89 mm  
05071091001 1x TX 20 x 89 mm  
05071092001 1x TX 25 x 89 mm  
05071094001 1x TX 30 x 89 mm




#### 3800/4 Bits, stainless, 1 x 5.5 x 89 mm

 05071080001 1x 1 x 5.5 x 89 mm



#### 3840/4 Bits, stainless, 3 x 89 mm

 05071101001 1x 3 x 89 mm  
05071102001 1x 4 x 89 mm  
05071103001 1x 5 x 89 mm  
05071104001 1x 6 x 89 mm



#### Web link

[https://products.wera.de/en/kraftform\\_kompakt\\_kraftform\\_kompakt\\_60\\_62\\_kk\\_60\\_stainless.html](https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_60_62_kk_60_stainless.html)

Wera - KK 60 Stainless  
05071116001 - 4013288115713

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)