



EAN:	4013288238467	Size:	250x145x65 mm
Part number:	05072018001	Weight:	1936 g
Article number:	2090/16 Impaktor 1	Country of origin:	JP
		Customs tariff number:	82054000

- 16-piece impact driver set
- One 2090 impact driver (5/16" hexagonal socket drive) for loosening stuck screw connections using impact
- Up to 90 Nm of loosening torque; no electricity or compressed air required
- To loosen screws without the use of power tools
- Can be switched to clockwise and counterclockwise rotation
- 14 Impaktor 8790 B sockets (3/8"); also suitable for use with electric or pneumatic wrenches
- The Impaktor technology ensures higher-than-average service life of the sockets even at extreme requirements
- Sockets with Take it easy tool finder: colour coding by size

16-piece impact screwdriver set. The 2090 impact screwdriver (5/16" hexagonal socket drive) has a particularly high loosening moment (up to 90 Nm) thanks to its robust double-curve design. The striking force is converted into a rotary movement. Stuck screws and bolts can be loosened without the use of compressed air tools. Can be switched to clockwise and counterclockwise rotation. The 8790 B Impaktor sockets (3/8" drive) have a higher-than-average service life even at extreme requirements, thanks to the Impaktor technology. With Take it easy tool finder: colour coding by size for quick and easy identification of the required tool. The 870/2 connector adapts from 5/16" hexagonal socket to 3/8" external square head. Storage and transport in a robust textile box, so the tools are well protected and always close at hand.

Web link
<https://www.wera.de/en/05072018001>

Wera - 2090/16 Impaktor 1
05072018001 - 4013288238467

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Loosening stuck screws and bolts



2090 impact driver, 90 Nm



By lightly striking the impact screwdriver with a hammer, even stuck screws can be loosened without the use of power tools.

Highly efficient



The impact screwdriver has a particularly high efficiency with its double-curve design, which turns hammer blows into a rotary movement with high torque.

Reversible clockwise/counterclockwise




Depending on the thread, the impact screwdriver can be switched to clockwise or counterclockwise rotation.

Impaktor sockets



The extremely robust forged design ensures higher-than-average service life of the Impaktor sockets even at extreme requirements.

Adapter 5/16" to 3/8"



The 870/2 connector adapts from 5/16" hexagon to 3/8" square head, so the 3/8" sockets can be used with the 5/16" impact screwdriver.

Cross hole and ring socket



Thanks to the hole and the ring socket, the tools can be held securely on the power tool with a safety pin or an O-ring.

Profile-friendly power transmission



The hexagon profile offers the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile. Fine-toothed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle.

Web link

<https://www.wera.de/en/05072018001>

Wera - 2090/16 Impaktor 1
05072018001 - 4013288238467

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

2090/16 Impaktor impact driver set 1, metric, 3/8", 16 pieces



Set contents:

2090 Impact driver 90 Nm, 5/16" x 142 mm



05072014001

1x 5/16" x 142 mm



870/2 Adaptor, 3/8 x 5/16"



05136001001¹⁾

1x 3/8 x 5/16"

¹⁾ With friction ball; for manual nut spinner sockets



8790 B Impaktor socket with 3/8" drive, 8 x 30 mm



05005500001

1x 8 x 30 mm

05005501001

1x 10 x 30 mm

05005502001

1x 11 x 30 mm

05005503001

1x 12 x 30 mm

05005504001

1x 13 x 30 mm

05005505001

1x 14 x 30 mm

05005506001

1x 15 x 30 mm

05005507001

1x 16 x 30 mm

05005508001

1x 17 x 30 mm

05005509001

1x 18 x 30 mm

05005510001

1x 19 x 30 mm

05005511001

1x 21 x 32 mm

05005512001

1x 22 x 32 mm

05005513001

1x 24 x 32 mm

Hook and Loop Fastener Strip 240, 50 x 240 mm

1x 50 x 240 mm



Web link

<https://www.wera.de/en/05072018001>

Wera - 2090/16 Impaktor 1
05072018001 - 4013288238467

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de