
L-Keys for Hexagon Socket Screws





EAN:





Part number:05073593001Weight:655 gArticle number:950/9 Hex-Plus MulticolourCountry of origin:CZ

1 SB

Customs tariff 82041100 number:

· Hex-Plus allows socket head screws to live longer

- Hexagonal ballpoint on the long arm
- With Take it easy tool finder: colour coding by size
- · Colour coded, easy-to-grip plastic sleeve, even at low temperatures
- Wear-resistant clip material for enhanced durability

High quality L-key set with colour coded, convenient plastic sleeve. This ensures that the tool is quickly to hand and the ergonomic and pleasant handle is easy on the hands even at low temperatures. The wear-resistant clip material ensures secure storage of the L-keys as well as simple removal. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. The ballpoint on the long arm allows dependable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Laser-engraved and thereby wear-resistant size markings on the L-keys for rapid accessing.








L-Keys for Hexagon Socket Screws







L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Take it easy tool finder system

We questioned the classic L-key

design, since all too often the

screw head recess is rounded out,

meaning screws can no longer be

tightened or loosened - and so the

user finds the L-key slipping out of

the recess. Wera Hex-Plus tools

have a larger contact surface in

the screw head. The notching

effects are reduced and thereby

the deformation of the screws. At

the same time, as much as 20 %

more torque can be applied.



Take it easy tool finder system—with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_multicolour_1_sb.html

Wera - 950/9 Hex-Plus Multicolour 1 SB 05073593001 - 4013288165688

950/9 Hex-Plus Multicolour 1 SB L-key set, metric, BlackLaser, 9 pieces

L-Keys for Hexagon Socket Screws



Set contents:

OEO	CDVII	kov	Multipolour	motrio 1	1.5 x 90 mm
950	SPKLI	L-Kev	MUNTICOIOUF.	metric. I	1.5 X 90 MM

350 St NE E-Rey Mutucolour, metric, 1.5 x 30 mm							
0	05022600001	1x	1.5 x 90 mm				
No. Service 31	05022602001	1x	2 x 101 mm				
	05022606001	1x	3 x 123 mm				
	05022608001	1x	4 x 137 mm				
	05022610001	1x	5 x 154 mm				
	05022612001	1x	6 x 172 mm				
	05022614001	1x	8 x 195 mm				
	05022616001	1x	10 x 224 mm				
	05022604001	1x	2.5 x 112 mm				
	05022604001	1x	2.5 x 112 mm				