



**EAN:** 4013288227577  
**Part number:** 05134028001  
**Article number:** 9527

**Size:** 270x170x45 mm  
**Weight:** 688 g  
**Country of origin:** CZ  
**Customs tariff number:** 82054000

- Screwdriver with ball handle (Ball-Grip) for manual screwdriving to achieve high axial forces and particularly high torques
- The Ball-Grip geometry allows for high axial pressure with the ball of the hand
- An unusual design that has been popular in Japan for years
- Including screw gripper, the practical attachment tool with gripping function for screws
- 9-piece screwdriver set for Phillips-head Phillips-Recess, TORX® and slotted screws

9-piece screwdriver set including one ball handle tool. Ball handles have been used successfully in Japan for many years and are very popular. Thanks to these handles, a lot of pressure can be transferred while screwdriving. The palm encloses the handle from above, which allows high torques and high axial forces.

Take it easy tool finder with colour coding by profile and size stamping - for quick and easy identification of the required tool.

Wera screw gripper: Attachment tool with gripping function for screws. Holds all screw profiles securely on the tool. The screw gripper can be pushed upwards on the blade while screwdriving, so that it does not get in the way, even in deeper screwdriving situations.



#### Web link

Wera - 9527  
 05134028001 - 4013288227577

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

**Kraftform Ball-Grip for high torques**



Kraftform Ball-Grip for high torques



The ergonomically shaped Kraftform Ball-Grip fits perfectly in the hand. Its convex shape allows the transmission of high torque transfer.

**Lasertip prevents slipping out**



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

**Lasertip**



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

**Reduced contact pressure**



Wera Lasertip reduces the contact pressure required and enhances force transfer - meaning less screwdriving effort is required. Screwdriving becomes safer and easier.

**Kraftform**




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

**Prevents hand injuries**



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

**Take it easy Tool Finder**



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.


**Web link**

Wera - 9527  
05134028001 - 4013288227577

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de


Set contents:

**1850 PH Kraftform Ball-Grip Phillips-head screwdriver, PH 2 x 100 mm**

 05007906001 1x PH 2 x 100 mm




**350 PH Screwdriver for Phillips screws, PH 1 x 80 mm**

 05008710001 1x PH 1 x 80 mm  
05008720001 1x PH 2 x 100 mm




**350 PH Phillips-head Stubby/carburetor screwdriver, PH 2 x 25 mm**

 05008851001 1x PH 2 x 25 mm



**367 Screwdriver for TORX® screws, TX 20 x 100 mm**

 05028010001 1x TX 20 x 100 mm  
05028012001 1x TX 25 x 100 mm




**334 Screwdriver for slotted screws, 1.2 x 6.5 x 150 mm**

 05110010001 1x 1.2 x 6.5 x 150 mm



**335 Screwdriver for slotted screws, 0.5 x 3 x 80 mm**

 05110001001<sup>1)</sup> 1x 0.5 x 3 x 80 mm  
1) Without Lasertip



**1441 SB Screw gripper attachment for screwdriver blades, long bits and L-keys, with holding function for screws, 4.5-6 x 41 mm**

05073681001 1x 4.5-6 x 41 mm



Web link

Wera - 9527  
05134028001 - 4013288227577

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de