| | | | |
|---|---|---|---|
| **EAN:** | 4013288178343 | **Size:** | 155x100x35 mm |
| **Part number:** | 05135938001 | **Weight:** | 153 g |
| **Article number:** | Kraftform Kompakt Micro 11 Universal 1 | **Country of origin:** | CZ |
| | | **Customs tariff number:** | 82079030 |

- Kraftform Micro bit holder for precision mechanical work
- Handle/Interchangeable blade system for rapid exchange of the blade
- Multi-component Kraftform Micro handle with anti-roll feature and rotating cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

Kraftform Kompakt Micro Set for precision mechanical applications; suitable for the take-up of bits with 4 mm halfmoon drive (Wera series 9) and bits with 4 mm HIOS drive (Wera series 21); handle/interchangeable blade system for rapid blade change; Kaftform Micro handle with twist cap and free-turning zone for rapid twisting, making any time-consuming repositioning of the fingers unnecessary; power zone with integrated soft zones for the transfer of higher tightening and loosening torque; precision zone directly above the blade for the right angle for adjustment work; comes with 10 bits for manual as well as power tool operations; rapid fixing of the bit: just push the bit into the insert for automatic locking and a secure fit. To change the bit, simply push the sleeve forward and remove; free-turning sleeve for simple guidance of the tool during the screwdriving process.

**Web link**
https://www.wera.de/en/05135938001



Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

### For Halfmoon and HIOS Bits

Features a combination bit holder for both bits with Halfmoon and bits with HIOS drive.

### Kraftform Micro handle

Multi-component screwdriver handle for ergonomic working.

### The refined screwdriver for electronics technicians

The Kraftform Micro, with its three zones and their specific arrangement, satisfies these requirements perfectly. The free-turning cap that provides support for the hand works with these advantages, enabling quick and easy precision work.

### The precision zone

The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

### The power zone

The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

### The fast-turning zone

The fast-turning zone just below the rotating cap allows rapid spinning.

**Web link**
https://www.wera.de/en/05135938001

Wera - Kraftform Kompakt Micro 11 Universal 1
05135938001 - 4013288178343

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

### 1013 Kraftform Micro Bitholding screwdriver, 97 mm

| | | |
|---|---|---|
| 05051276001 | 1x | 97 mm |

### 851/9 C J PH bits, halfmoon, PH 00 x 44 x 1.8 mm

| | | |
|---|---|---|
| 05135270001[1] | 1x | PH 00 x 44 x 1.8 mm |
| [2] | 1x | PH 0 x 44 x 2.2 mm |
| 05135276001[1] | 1x | PH 1 x 44 x 3 mm |

1) Optimised for Asian PH screws
2) Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

### 840/9 C bits Hex-Plus, 1.5 x 44 mm

| | | |
|---|---|---|
| 05135268001 | 1x | 1.5 x 44 mm |
| 05135269001 | 1x | 2 x 44 mm |

### 800/9 C bits, 0.23 x 1.5 x 44 mm

| | | |
|---|---|---|
| 05135265001 | 1x | 0.23 x 1.5 x 44 mm |
| 05135266001 | 1x | 0.40 x 2 x 44 mm |
| 05135267001 | 1x | 0.50 x 3 x 44 mm |

### 867/9 C TORX® bits, halfmoon, TX 5 x 44 mm

| | | |
|---|---|---|
| 05345351001 | 1x | TX 5 x 44 mm |
| 05345350001 | 1x | TX 6 x 44 mm |

**Web link**
https://www.wera.de/en/05135938001

Wera - Kraftform Kompakt Micro 11 Universal 1
05135938001 - 4013288178343

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de