



EAN:	4013288238740	Size:	400x125x80 mm
Part number:	05136062001	Weight:	1925 g
Article number:	9558	Country of origin:	TW
		Customs tariff number:	82041200

- For professionally and properly executed tightening of pipe fittings as per manufacturer's instructions
- Adjustable Click-Torque X 2 torque wrench, measuring range 10 - 50 Nm
- With mounting for exchangeable insert tools 9x12 mm
- 3 self-setting insert spanners (9x12 mm drive) for wrench sizes 10 - 19 (7/16" - 3/4") and all intermediate sizes
- With mechanical ratchet functionality for fast and consistent screwdriving without removing the spanner
- Return angle of only 30° when using the corner-width rectangular prisms in the jaw
- One reversible insert ratchet for 3/8" square head sockets and 3/8" connectors with square head drive
- Torque Advisor: innovative torque calculation system for Click-Torque X torque wrenches in combination with insert tools

5-piece set for professionally and properly executed tightening of pipe fittings. One adjustable Click-Torque X 2 torque wrench (10 - 50 Nm) with 9x12 mm mounting for insert tools. 3 self-setting insert spanners (metric 10 - 19 (imperial: 7/16" - 3/4") and all intermediate sizes) with mechanical ratchet functionality for fast and consistent screwdriving without removing the tool. One reversible insert ratchet for 3/8" square head sockets and 3/8" connectors with square head drive. The abrasion-proof QR code laser-engraved on the tools makes it easier to determine the correct torque value depending on the torque wrench and insert tool used. In a robust textile box.



Web link
<https://www.wera.de/en/05136062001>

Wera - 9558
05136062001 - 4013288238740

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Tool set for pipe fittings



For professionally and properly executed tightening of pipe fittings as per manufacturer's instructions



The tool set is designed for professionally and properly executed tightening of pipe fittings as per manufacturer's instructions. The professional and proper tightening of pipe fittings is crucial for the leak tightness, security and longevity of hydraulic, pneumatic and water piping systems.

Click-Torque X 2 torque wrench



With mounting for exchangeable insert tools 9x12 mm. Measuring range: 10 - 50 Nm; precision $\pm 3\%$ as per DIN EN ISO 6789-1:2017-07.

Easy setting of the torque wrench



Easy setting (easy to read on main and fine scales) and saving of the required torque with audible and tactile clicks on reaching the scale values.

Torque wrench with release mechanism




On reaching the desired torque value, an audible and tactile mechanism is triggered.

Loosening moment up to 50 Nm



If the torque wrench is set to the maximum torque and rotated once around its own longitudinal axis, screw connections with a maximum loosening torque of 50 Nm can be loosened.

Self-setting insert spanner Joker 7870



With its automatically and continuously gripping parallel jaws, the 7870 Joker covers all dimensions within the potential operative range. The tool finds the required size by itself when attaching it to the bolt or screw. The corner-width rectangular prisms in the jaw allow a return angle of only 30°.

Joker 7870: ratchet mechanism for quick working



The ratchet feature in the jaw ensures fast and consistent screwdriving without removing the tool.

Set contents:

Click-Torque X 2 torque wrench for insert tools, 10-50 Nm, 9x12 x 10-50 Nm



05075652001¹⁾ 1x 9x12 x 10-50 Nm

1) S_k = Actual dimension of the test attachment; l_k = Distance from the force application point to the test device axis

7870 Joker S Self-setting insert spanner for wrench sizes 10-13 mm, 9x12 mm, 9x12 x 10-13 x 7/16-1/2" x 57.7 mm



05020175001 1x 9x12 x 10-13 x 7/16-1/2" x 57.7 mm

7870 Joker M Self-setting insert spanner for wrench sizes 13-16 mm, 9x12 mm, 9x12 x 13-16 x 1/2-5/8" x 67.7 mm



05020176001 1x 9x12 x 13-16 x 1/2-5/8" x 67.7 mm

7870 Joker L Self-setting insert spanner for wrench sizes 16-19 mm, 9x12 mm, 9x12 x 16-19 x 5/8-3/4" x 77.7 mm



05020177001 1x 9x12 x 16-19 x 5/8-3/4" x 77.7 mm

7772 B Ratchet insert, reversible, 9x12 mm, 9x12 x 3/8" x 52.1 mm



05078636001 1x 9x12 x 3/8" x 52.1 mm

Web link

<https://www.wera.de/en/05136062001>

Wera - 9558

05136062001 - 4013288238740

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de