



EAN:	4013288018090	Size:	285x210x55 mm
Part number:	05018282001	Weight:	835 g
Article number:	932/6	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Impact cap and bolster for the transfer of higher torque
- Hexagonal blade extending through the handle
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Storage rack for wall-mounting

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraffform handle for fast and low-fatigue working.

Kraffform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagonal blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for enhanced service life and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



Web link

<https://www.wera.de/en/05018282001>

Wera - 932/6
05018282001 - 4013288018090

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Multicomponent Kraftform handle



Wera makes its Kraftform handles from several materials with different properties. The core is made from a hardwearing plastic that holds the blade securely even when subjected to great forces. The yellow soft zones of the external mantle consist of a softer material with more friction resistance for high torque transfer. The black areas with a harder surface prevent the hand from sticking to the handle enabling you to adjust your grip more quickly.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

Web link

<https://www.wera.de/en/05018282001>

Wera - 932/6

05018282001 - 4013288018090

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

Set contents:

917 SPH Screwdriver for Phillips screws, PH 1 x 80 mm



05017005001	1x	PH 1 x 80 mm
05017010001	1x	PH 2 x 100 mm

932 A Screwdriver for slotted screws, 0.6 x 3.5 x 80 mm



05018260001 ^{1),2),3)}	1x	0.6 x 3.5 x 80 mm
05018262001	1x	0.8 x 4.5 x 90 mm
05018264001	1x	1 x 5.5 x 100 mm
05018266001	1x	1.2 x 7 x 125 mm

1) No pound-thru blade

2) No impact cap

3) No hexagon bolster

Web link

<https://www.wera.de/en/05018282001>

Wera - 932/6

05018282001 - 4013288018090

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de