KRAFTFORM ERGONOMICS

IMPACT CAP

HEXAGON BLADE

POUND-THRU BLADE

HEXAGON BOLSTER

BLACK POINT

ANTI ROLL-OFF

EAN:	4013288094803	**Size:**	285x210x55 mm
Part number:	05024410001	**Weight:**	1152 g
Article number:	977/6 TORX®	**Country of origin:**	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- For recessed TORX® screws
- Hexagonal blade extending through the handle
- Impact cap and bolster for the transfer of higher torque
- Storage rack for wall-mounting

Wera Chiseldriver set for fastening, chiselling and loosening seized recessed TORX® screws. Multi-component Kraftform handle for fast and low-fatigue working. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

Web link
https://www.wera.de/en/05024410001

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!

Integrated impact cap

An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade

A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster

Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip

The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform

The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Multicomponent Kraftform handle

Wera makes its Kraftform handles from several materials with different properties. The core is made from a hardwearing plastic that holds the blade securely even when subjected to great forces. The yellow soft zones of the external mantle consist of a softer material with more friction resistance for high torque transfer. The black areas with a harder surface prevent the hand from sticking to the handle enabling you to adjust your grip more quickly.

Non-roll feature

The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link
https://www.wera.de/en/05024410001

Wera - 977/6 TORX®
05024410001 - 4013288094803

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

977 Screwdriver for TORX® screws, TX 15 x 80 mm

05024400001	1x	TX 15 x 80 mm
05024401001	1x	TX 20 x 90 mm
05024402001	1x	TX 25 x 100 mm
05024403001	1x	TX 27 x 125 mm
05024404001	1x	TX 30 x 150 mm
05024405001	1x	TX 40 x 150 mm

Web link
https://www.wera.de/en/05024410001

Wera - 977/6 TORX®
05024410001 - 4013288094803

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de